

secabo

VINYL CUTTER
T II SERIES

SIGGRAPHIC
DET SMARTA VALET

EN





S E R I E S

FEATURES



Simple
Menu
navigation



Low
noise



Mac
compatible



Windows
64 bit

64 bit
compatible



Plug &
play



Servo
motors



High
precision



LAPOS
Q



DrawCut PRO
Cutting
software

VINYL CUTTER T II SERIES

The Secabo T II series vinyl cutter combines the professional standards of the S II series with valuable automatic functions. In order to automatically detect crop marks, the T II models are equipped with the latest generation multi crop mark recognition system LAPOS Q. This operates with even higher accuracy and speed than the previous version. Stickers, labels and other media can be cut with absolute contour accuracy, even in arbitrary shapes and large plots. The vinyl cutters are suitable for use with all common forms of media, from adhesive films, self-adhesive and flock foil, to flex, stencil films, paper and cardboard. Another great advantage is the automatic media detection.

This feature determines the width of the inserted material and directly communicates it to the software. Thus, the zero point for the next plot order is already set. Depending on the model, the Secabo T II vinyl cutters support maximum cutting widths ranging from 63 to 160cm. They can be controlled via the supplied cutting software DrawCut PRO for Windows: It drives the LAPOS Q Print&Cut applications and reliably performs design and layout tasks. A stable stand equipped with a roll mount and a practical catchup basket is included in the scope of delivery. In addition, the model T160 II is equipped with automated media unwinding functionality.





Multi-pass mark recognition system LAPOS Q – Precision meets performance

LAPOS Q is the fastest and most convenient sequential multi-pass mark recognition system in the world. Stickers, labels and other media can thus be cut out to exact contours in free shapes and even with the largest plots. The register marks are read in segment by segment as required, so the precision remains the same throughout the course of a large plot. Contour cut jobs can be read in easily by barcode.



DrawCut PRO cutting software – standard on board!

The multilingual professional cutting software DrawCut PRO for Windows is included in the scope of delivery. It not only reliably handles design and layout tasks and imports a wealth of graphic file formats, but also directs the Print&Cut applications of LAPOS Q including the automatic generation of cutting contours. DrawCut PRO has a unique vectorization algorithm for converting pixel graphics into path files and provides extensive text, shading and outline functions for the user.



New optimized controller – so you can keep track of everything


The controller of the Secabo cutting plotter has been optimized for smooth use and easy access to all important functions. The adapted design and the improved menu navigation should ensure an even better overview of the daily work routine.

ACCESSORIES VINYL CUTTER



Drag knife

For all Secabo vinyl cutters, carbide, cutting angles from 30°, 45° or 60° - depending on the application area, offset 0.25mm.



Plot surfaces

Easily self-adhesing, can even be used with very thin and fragile films. Available in A4, A3 and 60cm x 90cm.



Blade holder

For all current and all older models, ball-bearing aluminum blade holder, blade immersion depth can be set via an adjusting screw, comfortable ejecting by a spring pin.



SignCut

Efficient cutting software for MAC OS and Windows. SignCut supports you during the entire production process SignCut Pro is always up to date, compatible with all Corel Draw and Adobe Illustrator versions. No LAPOS support.





S E R I E S



TECHNICAL DATA

T60 II

T120 II

T160 II

Max. Media width	720mm	1350mm	1750mm
Max. Cutting width	630mm	1260mm	1600mm
Max. Media thickness	1mm		
Max. cutting speed	960mm/s		
Drive	Servo motors		
Contact pressure	50g - 750g		
Mechanical resolution	0.01254mm		
Connections	USB		
Contour cut function	LAPOS Q, sequential crop marks		
Operation	Backlit graphic LCD, gel buttons		
Weight without packaging	12kg	22kg	50kg
Weight with packaging	22kg	32kg	60kg
Dimensions (W x H x D):	92 x 26 x 26cm	160 x 26 x 26cm	192 x 26 x 26cm
Items included	Vinyl cutter, multilingual cutting software DrawCut PRO (Windows) or SignCut 1-year license (Mac, optional), drag knife, ball-bearing knife holder, plot pen, DIN A3 plot surface, stand with roll mount (T160 II with automatic film unwinder and catch-up basket), connection cable		



Huvudkontor
SIGGRAPHIC KB
Arenavägen 29
121 77 Globen/Johanneshov

Besöksadress
Storgatan 79
362 30 Tingsryd

Telefon
+46 (0) 477 100 04
Hemsida
www.siggraphic.se

E-post
marknad@siggraphic.se